

ELEMENT NAME: sp_timestamp

DATABASE NAME: CLERC

TABLE/PHASE NAME: flsdupending

CCDE COMMON NAME: Receipt Timestamp

ALIASES:

LENGTH:

DATA TYPE: datetime YEAR to SECOND

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Date/time when pending receipt was created

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: sp_with_date

DATABASE NAME: CLERC

TABLE/PHASE NAME: flsdupending

CCDE COMMON NAME: Withholding Date

ALIASES:

LENGTH:

DATA TYPE: date

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Withholding date for employer payments

**VALID CODES/FIELD
RESTRICTIONS:**

ELEMENT NAME: Special Sentence Provisions

DATABASE NAME: FDLE

TABLE/PHASE NAME: SENTENCE PHASE

CCDE COMMON NAME: Special Sentence Provisions

ALIASES: SPECIAL SENTENCE PROVISIONS

LENGTH:

DATA TYPE: N

EXAMPLES: 01
15
21

ORIGINAL SOURCE:

REMARKS: One or up to 7 of these fields may be used to identify additional conditions, stipulations, or limitations that are part of the sentence which cannot be adequately identified in other sentence fields. These special sentence provisions DO NOT require mandatory term lengths be recorded; though there may be minimum sentencing requirements for the court.

ALL other special sentencing provisions that may have a mandatory term associated, contingent on the date of offense and/or discretion of the sentencing court, are defined under Mandatory/Minimum Length on Page 122 and should be recorded under that data element.

VALID CODES/FIELD

RESTRICTIONS: 01 Fine/No Gain-time – Section 27.3455, Florida Statutes. Repealed October 1, 1986.

02 Wearing Mask while Committing Offense – Section 775.045, Florida Statutes. Provides for enhanced penalties at sentencing.

06 Adjudicated Habitual Offender – Section 775.084(3)(a), Florida Statutes (habitual felon) or Section 39.01(62), Florida Statutes (serious juvenile offender.)

07 Sentenced Habitual Offender - Section 775.084(4)(a), Florida Statutes (habitual felon), or Section 39.058, Florida Statutes, (serious Juvenile Offender).

08 Adjudicated Habitual Violent Felony Offender – Section 775.084(3)(a), Florida Statutes.

11 Adjudicated Violent Career Criminal - Section 775.084.(3)(b), Florida Statutes.

12 Sentenced Violent Career Criminal – Section 775.084(4)(c), Florida Statutes.

13 Evidencing Prejudice while Committing Offense – Section 775.085, Florida Statutes. This section allows for enhanced penalties.

16 Sexual Predator Act – Sections 775.21 – 775.23, Florida Statutes.

Effective for offenses committed on or after October 1, 1993. This section requires registration upon release from custody if the court determined by separate written findings that the defendant is a sexual predator.

20 Assault or Battery on Persons 65 Years of Age or Older – Section 84.08, Florida Statutes.

Effective for offenses committed on or after October 1, 1989, and before January 1, 1994, and on or after July 1, 1999. Offenders convicted of aggravated assault or aggravated battery upon a person 65 years of age or older shall be sentenced to a minimum term of three years.

21 Making, Throwing a Destructive Device – Section 790.161, Florida Statutes.

Effective for offenses committed on or after October 1, 1989, this section requires the court to impose a 5-year minimum sentence. Effective January 1, 1994, the minimum term was eliminated.

22 Planting a Hoax Bomb – Section 790.165, Florida Statutes.

Effective for offenses committed on or after October 1, 1989, this section requires the court to impose a 3-year minimum sentence. Effective January 1, 1994, the minimum term was eliminated.

23 Short-Barreled Rifle – Section 790.221, Florida Statutes.

Effective for offenses committed on or after October 1, 1989, this section requires the court to impose a 5-year minimum sentence. Effective January 1, 1994, the minimum term was eliminated.

24 Possession of Firearm by Violent Career Criminal - Section 790.235, Florida Statutes.

25 Junny Rios Martinez, Jr. Act of 1992/Sexual Battery – Section 794.011(7), Florida Statutes.

Provision is no longer recorded. Information captured in statute of conviction.

26 Repeat Sexual Batterer – Section 794.0115, Florida Statutes.

Offenders who are sanctioned by the court as a “Repeat Sexual Batterer” must be sentenced to a mandatory minimum term of 10-years imprisonment, though the court may impose a greater sentence of incarceration.

30 Engaging in Continuing Criminal Enterprise – Section 893.20, Florida Statutes.

Effective for offenses committed on or after October 1, 1989, the legislature defined the crime of “engaging in continuing criminal enterprise” and made it a life felony punishable by a life sentence or a term of not less than 25 years. This section is exempt from sentencing guidelines, and requires mandatory adjudication. Effective for offenses committed on or after January 1, 1994, all prohibitions eliminated.

Not applicable for juvenile cases.

31 Mentally Disordered Sex Offender –Section 917.012, Florida Statutes. (Repealed in 1989) – Historical.

32 Victim Minor – Section 921.243, Florida Statutes.

The Public Information Act, effective October 1, 1997, provided that at the time of sentencing of any offender for an offense involving a minor, the county shall stamp on the face of the judgement "Victim is Minor" and note on any document or information sent to the Florida Department of Law Enforcement.

33 Jurisdiction Retained – Section 947.164 (4), Florida Statutes.

The court retains jurisdiction over the defendant/juvenile for any court or for any Parole Commission release order. The requisite findings by the court must be set forth in a separate order or stated on the record in open court. The total number of months/years/or percentage of sentence the court retains jurisdiction should be recorded in the "Court Clarification of Intent or Other Orders of the Court" section.

34 Youthful Offender Act – Section 958.04, Florida Statutes.

The period of incarceration imposed or served and the period of probation or community control, shall not exceed a combined 6-years.

35 Resentencing.

This provision is used when the court vacates the judgement and/or sentence, and upon resentencing allows defendant, on the cases/counts being resentenced, credit for all time previously served in the Department of Corrections or the Department of Juvenile Justice. The credit should not include the time the offender is out to court in the county jail for resentencing as the credit is subsumed in time served in the Department of Corrections.

36 Prison Credit (Resentence Upon Revocation of Supervision Portion of Split Sentence.)

This provision is used when the court awards credit for time served and unforfeited gain-time from the prior prison term of a split sentence, and the offender is revoked on the supervision portion of the same said split sentence or is given credit for revocation of a "sister case" scored on the same sentencing guideline scoresheet. (Commonly referred to as Green/Tripp cases.)

Not applicable for juvenile cases.

37 Defendant/juvenile sentenced under Sentencing Guidelines –

Provision is no longer recorded.

38 Dangerous Sexual Felony Offender

Effective July 1, 2003, the statute provides that a person subject to sentencing under this section must be sentenced to a minimum term of 25 years imprisonment up to and including, life imprisonment.

Not Applicable – Default to zeros.

ELEMENT NAME: ssn

DATABASE NAME: CLERC

TABLE/PHASE NAME: flsdu37502

CCDE COMMON NAME: Social Security Number

ALIASES:

LENGTH: 9

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Social security number

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: ssn

DATABASE NAME: CLERC

TABLE/PHASE NAME: s_user

CCDE COMMON NAME: Social Security Number

ALIASES:

LENGTH: 9

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Social security number

**VALID CODES/FIELD
RESTRICTIONS:**

ELEMENT NAME: ssn

DATABASE NAME: CLERC

TABLE/PHASE NAME: t_s_user

CCDE COMMON NAME: Social Security Number

ALIASES:

LENGTH: 9

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: SSN

DATABASE NAME: TCATS

TABLE/PHASE NAME: Disposition Interface

CCDE COMMON NAME: Social Security Number

ALIASES:

LENGTH: 9

DATA TYPE: N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: If unknown, value is all zeros ("00000000")

ELEMENT NAME: SSN

DATABASE NAME: TCATS

TABLE/PHASE NAME: UTC Citation Interface

CCDE COMMON NAME: Social Security Number

ALIASES:

LENGTH: 9

DATA TYPE: N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Social Security Number

VALID CODES/FIELD

RESTRICTIONS: "00000000" if unknown

ELEMENT NAME: st

DATABASE NAME: CLERC

TABLE/PHASE NAME: flsdu37502

CCDE COMMON NAME: State Code

ALIASES:

LENGTH: 2

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: State

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: start_time

DATABASE NAME: CLERC

TABLE/PHASE NAME: process_table

CCDE COMMON NAME: Background Process Start Time

ALIASES:

LENGTH:

DATA TYPE: datetime YEAR to SECOND

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Time background process was started

**VALID CODES/FIELD
RESTRICTIONS:**

ELEMENT NAME: stat_code

DATABASE NAME: CLERC

TABLE/PHASE NAME: flstatcode

CCDE COMMON NAME: State Code

ALIASES:

LENGTH:

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

**VALID CODES/FIELD
RESTRICTIONS:**

ELEMENT NAME: stat_code

DATABASE NAME: CLERC

TABLE/PHASE NAME: t_flstatcode

CCDE COMMON NAME: State Code

ALIASES:

LENGTH:

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

**VALID CODES/FIELD
RESTRICTIONS:**

ELEMENT NAME: stat_description

DATABASE NAME: CLERC

TABLE/PHASE NAME: flstatcode

CCDE COMMON NAME: State Name

ALIASES:

LENGTH: 20

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: stat_description

DATABASE NAME: CLERC

TABLE/PHASE NAME: t_flstatcode

CCDE COMMON NAME: State Name

ALIASES:

LENGTH: 20

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: State

DATABASE NAME: TCATS

TABLE/PHASE NAME: D6 Interface

CCDE COMMON NAME: State Code

ALIASES:

LENGTH: 2

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: State of driver's license

VALID CODES/FIELD

RESTRICTIONS: State of driver's license: must be provided for out of state, leave blank for Florida licenses. Use value 'CD' for Canadian licenses (all provinces); use 'FF' for other foreign countries.

ELEMENT NAME: state

DATABASE NAME: CLERC

TABLE/PHASE NAME: s_facilty

CCDE COMMON NAME: State Code

ALIASES:

LENGTH: 2

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: State abbreviation

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: State Identification Number

DATABASE NAME: FDLE

TABLE/PHASE NAME: BASIC PHASE

CCDE COMMON NAME: State Identification Number

ALIASES: CCH-DLE
DLE
FDLE#
SID

LENGTH: 8

DATA TYPE: N

EXAMPLES: 02345678
01234567

ORIGINAL SOURCE:

REMARKS: Unique number assigned to persons by the FDLE (based on fingerprint identification.)

For the purpose of identifying the state that established the computerized record in NCIC, the two-character alpha code for the establishing state (FL for Florida) will be entered automatically by the NCIC computer in the EST field (State Establishing Record) of the identification segment in the NCIC/CCH database.

Corresponds to State Identification Number (SID) in NCIC. The FDLE number is prefixed with the appropriate state code (FL for Florida), for submission to NCIC.

VALID CODES/FIELD

RESTRICTIONS: Unknown - Default to zeros.

This field is not required and should contain zeros if the data are not available.

Not Applicable – Default to zeros. To be used for businesses.

ELEMENT NAME: State of Driver's Address

DATABASE NAME: TCATS

TABLE/PHASE NAME: Citation Interface

CCDE COMMON NAME: State Code

ALIASES:

LENGTH: 2

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: Field is required if license number (field 28) is not provided, or if license is from out of state. Use value 'CD' for Canadian addresses (all provinces); use 'FF' for other foreign countries.

ELEMENT NAME: State of Residence

DATABASE NAME: TCATS

TABLE/PHASE NAME: UTC Citation Interface

CCDE COMMON NAME: State Code

ALIASES:

LENGTH: 2

DATA TYPE: A

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: Field is required if license number (field 28) is not provided, or if license is from out of state.

ELEMENT NAME: State Statute Indicator

DATABASE NAME: TCATS

TABLE/PHASE NAME: Citation Interface

CCDE COMMON NAME: Statute Indicator

ALIASES:

LENGTH: 1

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: In violation of state statute.

"Y" for Yes

ELEMENT NAME: state_cd

DATABASE NAME: CLERC

TABLE/PHASE NAME: r_state

CCDE COMMON NAME: State Code

ALIASES:

LENGTH: 2

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: State abbreviation, primary key

**VALID CODES/FIELD
RESTRICTIONS:**

ELEMENT NAME: state_nm

DATABASE NAME: CLERC

TABLE/PHASE NAME: r_state

CCDE COMMON NAME: State Name

ALIASES:

LENGTH: 25

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: state name

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: Status

DATABASE NAME: TCATS

TABLE/PHASE NAME: Citation Interface

CCDE COMMON NAME: Status

ALIASES:

LENGTH: 1

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: A - active citations
I - inactive citations
D - deleted citations

ELEMENT NAME: status_code

DATABASE NAME: CLERC

TABLE/PHASE NAME: permit

CCDE COMMON NAME: Status Code

ALIASES:

LENGTH:

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: status_flag

DATABASE NAME: CLERC

TABLE/PHASE NAME: process_table

CCDE COMMON NAME: Background Process Status

ALIASES:

LENGTH:

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Status of background process

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: status_txt

DATABASE NAME: CLERC

TABLE/PHASE NAME: hrs_status

CCDE COMMON NAME: Process Status

ALIASES:

LENGTH: 12

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Status of process

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: Statute Number

DATABASE NAME: TCATS

TABLE/PHASE NAME: Disposition Interface

CCDE COMMON NAME: Statute Number

ALIASES:

LENGTH: 11

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: Statutory Fine

DATABASE NAME: TCATS

TABLE/PHASE NAME: Disposition Interface

CCDE COMMON NAME: Statutory Fine

ALIASES:

LENGTH: 7

DATA TYPE: MONEY

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: Format = 9999.99

ELEMENT NAME: step_name

DATABASE NAME: CLERC

TABLE/PHASE NAME: hrs_status

CCDE COMMON NAME: Process Name

ALIASES:

LENGTH: 40

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Process being reported on

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: Street Address

DATABASE NAME: TCATS

TABLE/PHASE NAME: Citation Interface

CCDE COMMON NAME: Address

ALIASES:

LENGTH: 30

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: Field is required if license number (field 28) is not provided, or if license is from out of state. The only characters allowed are upper-case alphabetic characters (A-Z), numeric (0-9), blank, and special characters '#', '-', and '/' (number sign, hyphen

ELEMENT NAME: Sub – Section

DATABASE NAME: TCATS

TABLE/PHASE NAME: Citation Interface

CCDE COMMON NAME: Sub – Section

ALIASES:

LENGTH: 11

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: Required if the specified section has subsection(s). Parentheses not allowed: e.g. “3c1” not “(3)(c)(1)”.

ELEMENT NAME: Subrecord Type

DATABASE NAME: TCATS

TABLE/PHASE NAME: D6 Interface

CCDE COMMON NAME: Subrecord Type

ALIASES:

LENGTH: 2

DATA TYPE: N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: Zeros

ELEMENT NAME: Subsection

DATABASE NAME: TCATS

TABLE/PHASE NAME: Disposition Interface

CCDE COMMON NAME: Subsection

ALIASES:

LENGTH: 11

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: Subsections cannot contain a parenthesis. Ex. "(a)" will not be accepted.

ELEMENT NAME: Subsystem Type

DATABASE NAME: TCATS

TABLE/PHASE NAME: D6 Interface

CCDE COMMON NAME: Subsystem Type

ALIASES:

LENGTH: 3

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: "DBS"

ELEMENT NAME: success_date

DATABASE NAME: CLERC

TABLE/PHASE NAME: success_table

CCDE COMMON NAME: Last Trigger Table Unload Date

ALIASES:

LENGTH:

DATA TYPE: datetime YEAR to SECOND

EXAMPLES:

ORIGINAL SOURCE:

REMARKS: Last time the "trigger table" was successfully unloaded

**VALID CODES/FIELD
RESTRICTIONS:**

ELEMENT NAME: Suffix of Name of Defendant/Juvenile at Arrest/Time Case Initiated

DATABASE NAME: FDLE

TABLE/PHASE NAME: BASIC PHASE

CCDE COMMON NAME: Name Suffix

ALIASES: SUFFIX

LENGTH: 1

DATA TYPE: A/N

EXAMPLES: J
S
3
4

ORIGINAL SOURCE:

REMARKS: This field should reflect the suffix the defendant/juvenile used at the time of arrest or at the time the case was initiated.

VALID CODES/FIELD

RESTRICTIONS: If an individual name is being reported, the following restrictions will apply:

No periods, commas, initials or titles should be included.

If a business is recorded, the name of the business will be reflected in last name only.

Valid characters are J, S or 1-9.

Not Applicable – Default to spaces.

NOTE: The processing of OBTS information at the Florida Department of Law Enforcement (FDLE) requires that certain data fields be present in order to accurately match existing arrests with the corresponding final judicial disposition being submitted. As such, please note that this data field is a required component in the process and should be submitted to the FDLE.

ELEMENT NAME: Suffix of Name of Defendant/Juvenile at Arrest/Time Case Initiated

DATABASE NAME: FDLE

TABLE/PHASE NAME: BASIC PHASE

CCDE COMMON NAME: Name Suffix

ALIASES: SUFFIX

LENGTH: 1

DATA TYPE: A/N

EXAMPLES: J
S
3
4

ORIGINAL SOURCE:

REMARKS: This field should reflect the suffix the defendant/juvenile used at the time the charge is disposed.

VALID CODES/FIELD

RESTRICTIONS: If an individual name is being reported, the following restrictions will apply:

No periods, commas, initials or titles should be included.

If a business is recorded, the name of the business will be reflected in last name only.

Valid characters are J, S OR 1-9.

Not Applicable – Default to spaces.

NOTE: The processing of OBTS information at the Florida Department of Law Enforcement (FDLE) requires that certain data fields be present in order to accurately match existing arrests with the corresponding final judicial disposition being submitted. As such, please note that this data field is a required component in the process and should be submitted to the FDLE.

ELEMENT NAME: sup_amt

DATABASE NAME: CLERC

TABLE/PHASE NAME: coupons

CCDE COMMON NAME: Amount

ALIASES:

LENGTH: 8

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: sup_ars_amt

DATABASE NAME: CLERC

TABLE/PHASE NAME: coupons

CCDE COMMON NAME: ARS Amount

ALIASES:

LENGTH: 8

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

**VALID CODES/FIELD
RESTRICTIONS:**

ELEMENT NAME: Supervision Type

DATABASE NAME: FDLE

TABLE/PHASE NAME: COMMITMENT PHASE

CCDE COMMON NAME: Supervision Type

ALIASES: PRF
DOP
ADM

LENGTH:

DATA TYPE: N

EXAMPLES: 0201 – Community Control followed by Probation
0500 – Sex Offender Probation Only

ORIGINAL SOURCE:

REMARKS: This field identifies the type(s) of supervision imposed by the court. The supervision type relates to each SEQ# included in the sentence. Offenders are sentenced pursuant to Section 948.01, Florida Statutes. If the supervision is 01, 03, 04, or 05, the Length of Probation will be required. If the supervision type is 02 or 06 or 07, the Length of Community Control is required.

If one supervision type is to be followed by another supervision type (i.e. community control followed by probation), the first supervision type code will be followed by the second supervision type code (i.e. 0201.) If there is only one supervision type ordered, the first two characters will be used to code the supervision type, and the second set of two characters will default to zeros (i.e. 0500.)

VALID CODES/FIELD

RESTRICTIONS: 01 Probation (PRF) – A form of community supervision requiring specified contacts with parole and probation officers and other terms and conditions as provided in Section 948.03, Florida Statutes.

02 Community Control (CPR) – A form of intensive, supervised custody in the community, including surveillance on weekends and holidays, administered by officers who have restricted caseloads. Community control is an individualized program in which the freedom of and offender is restricted within the community, home, or non-institutionalized residential placement and specific sanctions are imposed and enforced.

03 Administrative Probation (ADM) – A form of non-contact supervision in which an offender who presents a low risk of harm to the community may, upon satisfactory completion of half the term of probation be placed by the Department of Corrections on non-reporting status until expiration of the term of supervision. (An initial processing fee of \$50 is charged and the offender is exempt from further payment of cost of supervision.

04 Drug Offender Probation (DOP) – A form of intensive supervision which emphasizes treatment of drug offenders in accordance with individualized treatment plans administered by officers with restricted caseloads. Sex Offender Probation (SOP) – A form of intensive

supervision, with or without electronic monitoring, which emphasizes treatment and supervision of a sex offender in accordance with an individualized treatment plan administered by an officer who has a restricted caseload and specialized training.

05 Sex Offender Probation (SOP) – A form of intensive supervision, with or without electronic monitoring, which emphasizes treatment and supervision of a sex offender in accordance with an individualized treatment plan administered by an officer who has a restricted caseload and specialized training.

06 Sex Offender Community Control (SOC) – A form of intensive supervision, with or without electronic monitoring, which emphasizes treatment and supervision of a sex offender in accordance with an individualized treatment plan administered by an officer who has a restricted caseload and specialized training.

07 Criminal Quarantine Community Control – Intensive supervision by officers with restricted caseloads with a condition of 24-hour-per-day electronic monitoring and a condition of confinement to a designated residence during designated hours.

Not Applicable – Default to zeros.

ELEMENT NAME: Supplemental Code

DATABASE NAME: TCATS

TABLE/PHASE NAME: Disposition Error Report

CCDE COMMON NAME: Supplemental Code

ALIASES:

LENGTH: 1

DATA TYPE: A

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: "S" if a supplemental disposition, blank otherwise

ELEMENT NAME: Supplemental Code

DATABASE NAME: TCATS

TABLE/PHASE NAME: Disposition Interface

CCDE COMMON NAME: Supplemental Code

ALIASES:

LENGTH: 1

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: "S" is used to send a change to a disposition which was sent previously. Blank otherwise.

ELEMENT NAME: Supplemental Code

DATABASE NAME: TCATS

TABLE/PHASE NAME: UTC Citation Interface

CCDE COMMON NAME: Supplemental Code

ALIASES:

LENGTH: 1

DATA TYPE: A/N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: Supplemental = S. Use 'S' to send a change to a UTC disposition which has already been updated in the DHSMV database. Blank for first-time dispositions.

ELEMENT NAME: Surrender Date

DATABASE NAME: TCATS

TABLE/PHASE NAME: D6 Interface

CCDE COMMON NAME: Surrender Date

ALIASES:

LENGTH: 8

DATA TYPE: N

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD

RESTRICTIONS: Zeros

ELEMENT NAME: t_action

DATABASE NAME: CLERC

TABLE/PHASE NAME: t_flpymtcode

CCDE COMMON NAME: Action Code

ALIASES:

LENGTH:

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: t_action

DATABASE NAME: CLERC

TABLE/PHASE NAME: t_flrconproc

CCDE COMMON NAME: Action Code

ALIASES:

LENGTH:

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: t_action

DATABASE NAME: CLERC

TABLE/PHASE NAME: t_flecctl

CCDE COMMON NAME: Action Code

ALIASES:

LENGTH:

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

VALID CODES/FIELD
RESTRICTIONS:

ELEMENT NAME: t_action

DATABASE NAME: CLERC

TABLE/PHASE NAME: t_arch_tape_mast

CCDE COMMON NAME: Action Code

ALIASES:

LENGTH:

DATA TYPE: char

EXAMPLES:

ORIGINAL SOURCE:

REMARKS:

**VALID CODES/FIELD
RESTRICTIONS:**